




== Interchangeable      NI Not Interchangeable      >> New for Old      << Old for New

| No. | Part No.    | Part Name            | Qty | IC | Serial No./PIN | Remarks | Kg    |
|-----|-------------|----------------------|-----|----|----------------|---------|-------|
| 010 | TA020-12013 | GEAR,BEVEL,ASSY      | 1   |    |                | 9-23T   | 1.95  |
| 020 | 34070-12200 | BEARING,TAPER-ROLLER | 2   |    |                |         | 0.305 |
| 030 | TC402-12060 | COLLAR               | 2   |    | <=135483       | 5.8mm   | 0.0   |
| 030 | TC403-12060 | COLLAR(BQ,5.8)       | 2   | >> | >=135484       | 5.8mm   | 0.0   |
| 030 | TC432-12060 | COLLAR(CN,5.8)       | 2   | >> |                | 5.8mm   | 0.0   |
| 030 | TC402-12070 | COLLAR               | 2   |    | <=135483       | 5.9mm   | 0.0   |
| 030 | TC403-12070 | COLLAR(BQ,5.9)       | 2   | >> | >=135484       | 5.9mm   | 0.0   |
| 030 | TC432-12070 | COLLAR(CN,5.9)       | 2   | >> |                | 5.9mm   | 0.0   |
| 030 | TC402-12080 | COLLAR               | 2   |    | <=135483       | 6.0mm   | 0.0   |
| 030 | TC403-12080 | COLLAR(BQ,6.0)       | 2   | >> | >=135484       | 6.0mm   | 0.0   |
| 030 | TC432-12080 | COLLAR(CN,6.0)       | 2   | >> |                | 6.0mm   | 0.0   |
| 030 | TC402-12090 | COLLAR               | 2   |    | <=135483       | 6.1mm   | 0.0   |
| 030 | TC403-12090 | COLLAR(BQ,6.1)       | 2   | >> | >=135484       | 6.1mm   | 0.0   |
| 030 | TC432-12090 | COLLAR(CN,6.1)       | 2   | >> |                | 6.1mm   | 0.0   |
| 030 | TC402-12100 | COLLAR               | 2   |    | <=135483       | 6.2mm   | 0.0   |
| 030 | TC403-12100 | COLLAR(BQ,6.2)       | 2   | >> | >=135484       | 6.2mm   | 0.0   |
| 030 | TC432-12100 | COLLAR(CN,6.2)       | 2   | >> |                | 6.2mm   | 0.0   |

≡ Interchangeable

NI Not Interchangeable

>> New for Old

<< Old for New

| No. | Part No.    | Part Name            | Qty | IC | Serial No./PIN | Remarks | Kg    |
|-----|-------------|----------------------|-----|----|----------------|---------|-------|
| 040 | TC402-12130 | COLLAR,2 9.8         | 1   |    |                | 9.8mm   | 0.0   |
| 040 | TC402-12140 | COLLAR,2 9.9         | 1   |    |                | 9.9mm   | 0.0   |
| 040 | TC402-12150 | COLLAR,2 10.0        | 1   |    |                | 10.0mm  | 0.0   |
| 040 | TC402-12160 | COLLAR,2 10.1        | 1   |    |                | 10.1mm  | 0.0   |
| 040 | TC402-12170 | COLLAR,2 10.2        | 1   |    |                | 10.2mm  | 0.0   |
| 050 | TC402-56710 | NUT                  | 1   |    |                |         | 0.0   |
| 060 | TC402-12220 | SEAL,OIL             | 1   |    |                |         | 0.0   |
| 070 | TC494-60580 | CIR CLIP,INTERNAL    | 1   |    | <=174744       |         | 0.0   |
| 070 | 04611-00580 | CIR-CLIP,INTERNAL    | 1   | >> | >=174745       |         | 0.005 |
| 080 | TC220-12250 | CASE,DIFFERENTIAL    | 1   |    | <=125565       |         | 1.63  |
| 080 | TC402-12250 | CASE,DIFFERENTIAL    | 1   | >> | >=125566       |         | 0.0   |
| 080 | TC403-12252 | CASE,DIFF.           | 1   | NI | >=131726       |         | 0.0   |
| 082 | TC403-12260 | CASE,DIFF COVER      | 1   |    | >=131726       |         | 0.0   |
| 084 | 05012-01020 | PIN,STRAIGHT         | 2   |    | >=131726       |         | 0.013 |
| 086 | 01133-51075 | BOLT                 | 4   |    | >=131726       |         | 0.03  |
| 090 | 08101-06212 | BEARING,BALL         | 2   |    |                |         | 0.78  |
| 100 | 31353-43333 | SHAFT,PINION         | 1   |    | <=140089       |         | 0.13  |
| 100 | TC403-43330 | SHAFT(DIFF.PINION)   | 1   | >> | >=140090       |         | 0.0   |
| 110 | 05411-00630 | PIN,SPRING           | 1   |    | <=131725       |         | 0.004 |
| 110 | 05012-00628 | PIN,STRAIGHT         | 1   | NI | >=131726       |         | 0.006 |
| 120 | 31353-43343 | GEAR(PINION)         | 2   |    | <=186288       | 12T     | 0.1   |
| 120 | TC802-43342 | GEAR(PINION)         | 2   | NI | >=186289       | 12T     | 0.0   |
| 130 | 67121-56670 | COLLAR,PINION THRUST | 2   |    |                |         | 0.006 |
| 140 | 31353-43353 | GEAR,DIFF.SIDE       | 2   |    | <=186288       | 16T     | 0.19  |
| 140 | TC802-43352 | GEAR(DIFF.SIDE)      | 2   | >> | >=186289       | 16T     | 0.0   |
| 150 | TC402-15160 | SHIM,1               | 2   |    |                | 1.0mm   | 0.0   |
| 150 | TC402-15170 | SHIM,2               | 2   |    |                | 0.8mm   | 0.0   |
| 150 | TC402-15180 | SHIM,3               | 2   |    |                | 1.2mm   | 0.0   |

**=** Interchangeable      **NI** Not Interchangeable      **>>** New for Old      **<<** Old for New

| No. | Part No.    | Part Name         | Qty | IC | Serial No./PIN | Remarks | Kg    |
|-----|-------------|-------------------|-----|----|----------------|---------|-------|
| 150 | 31353-43360 | SHIM              | 2   |    |                | 0.6mm   | 0.005 |
| 150 | 31353-43370 | SHIM              | 2   |    |                | 0.4mm   | 0.01  |
| 160 | TC402-12302 | SHIM,110 1.6      | 1   |    |                | 1.6mm   | 0.0   |
| 160 | TC402-12352 | SHIM,110 1.8      | 1   |    |                | 1.8mm   | 0.0   |
| 160 | TC402-12322 | SHIM,110 2.0      | 1   |    |                | 2.0mm   | 0.0   |
| 160 | TC402-12332 | SHIM,110 2.2      | 1   |    |                | 2.2mm   | 0.0   |
| 160 | TC402-12342 | SHIM,110 2.4      | 1   |    |                | 2.4mm   | 0.0   |
| 170 | 34070-12280 | CIR CLIP,EXTERNAL | 1   |    | >=131726       |         | 0.005 |